

17:610:554:90 INFORMATION VISUALIZATION AND PRESENTATION

**Spring 2022 Term Project:**

**A Prototype Web-Based Data Visualization Tool**

John Killian

# Summary

---

This project is a prototype for a general-purpose online interactive tool for data visualization. It takes user-supplied data in the form of a CSV file and generates a table and graph of that data in a form and format based on selections made by the user.

## **Tools and Resources**

The project was coded entirely in HTML, CSS and JavaScript and makes use of the D3.js library

## **Design Approach**

My approach to this project was to build a visualization tool that is simple and intuitive, that guides the user step by step through the creation of a data visualization and in the process teaches a little something about data visualization itself.

# Screen Layout

The prototype's screen is divided into two sections, on the left, the Control area and on the right the Display area.

This screenshot shows the basic layout of the prototype. The left quarter of the screen is the Control area and is made up of panels containing HTML input elements of various kinds. The area on the right is the Display area composed of the Graph section and the Table section.

- **Control Area**

As its name implies, this is the area in which interaction will mainly occur. Each interaction with Control elements will update elements in both areas as the application cycles through its various states.

- **Display Area**

This area is subdivided into a Graph section at the top (a gray rectangle) and a Table section beneath it. These two sections show the results of user interactions.

**Choose Your Data**

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

timeseries-sample.csv

**Choose a Graph Type**

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.


Time Series  
 Scatter Plot

**Time Series Graph**

A time series graph shows the value of one or more data series as a line plotted over time (represented by the X-Axis). This graph generator requires data series to be in columns (called wide form) with the date column being the leftmost. In order for the date information to be processed correctly, it must be in a format that is readable by JavaScript such as: ISO Date (2022-04-29), Short Date (04/29/2022) or Long Date (Apr 25 2022 or 25 Apr 2022).

Choose which data series you wish to plot by clicking the checkboxes below.


US Bond Aggregate  
 MBS  
 Agency CMBS  
 Non-Agency CMBS  
 ABS  
 IG Corp  
 HY Corp



Date	US Bond Aggregate	MBS	Agency CMBS	Non-Agency CMBS	ABS	IG Corp	HY Corp
2014-12-31	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-01	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-02	0.48	0.28	0.45	1.19	0.58	1.31	4.88
2015-01-05	0.48	0.28	0.45	1.20	0.58	1.33	5.01
2015-01-06	0.49	0.28	0.45	1.20	0.58	1.34	5.16
2015-01-07	0.50	0.32	0.46	1.19	0.58	1.34	5.11
2015-01-08	0.49	0.30	0.45	1.19	0.59	1.33	4.98
2015-01-09	0.50	0.33	0.45	1.19	0.59	1.33	5.01
2015-01-12	0.51	0.36	0.46	1.20	0.59	1.34	5.07
2015-01-13	0.51	0.36	0.45	1.19	0.60	1.35	5.01
2015-01-14	0.52	0.36	0.45	1.21	0.60	1.38	5.12
2015-01-15	0.53	0.38	0.47	1.22	0.62	1.38	5.17
2015-01-16	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-19	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-20	0.55	0.44	0.47	1.22	0.62	1.38	5.13
2015-01-21	0.54	0.43	0.47	1.22	0.62	1.38	5.09
2015-01-22	0.53	0.38	0.47	1.22	0.61	1.36	5.01
2015-01-23	0.50	0.30	0.47	1.22	0.61	1.36	5.04
2015-01-26	0.51	0.33	0.47	1.23	0.61	1.35	5.00
2015-01-27	0.50	0.32	0.47	1.23	0.61	1.35	5.02
2015-01-28	0.51	0.35	0.47	1.23	0.62	1.35	5.04
2015-01-29	0.51	0.33	0.47	1.24	0.62	1.36	5.02

# Step-by-Step Approach

In the prototype, the user interface builds on itself in a progressive manner. UI elements appear on screen only when needed preventing accidental (out of order) interactions. At each step, the user has an opportunity to revisit a previous step or reset and start over ([Nielsen UI Heuristics #3](#))



This flow diagram illustrates the prototype's step-based approach to interaction.

# Prototype Walk-Through

---

Interaction with the prototype progresses through three main states:

- The Initial (Reset) State,
- The File Loaded State and
- The Interactive Graph State

# Prototype Walk-Through – State 1: Initial (Reset) State


At this point, the app is essentially a blank slate.

- **Control Area**

In its initial state, the Control area consists of one panel, the File Selection Control containing an instruction paragraph, links to sample data files and an HTML “File” input button. Clicking on this button opens a dialog box to select a file from the user’s local file system.

- **Display Area**

The Graph (top) section of the Display area holds only unmarked X and Y axes. The table section has yet to make its appearance.



# Prototype Walk-Through – State 2: File Loaded

## Control Area

After the user chooses a file and that file is loaded, a second panel appears beneath the File Selection Control. The Graph Type Control contains an instruction paragraph followed by an HTML radio button with graph types for the user to choose from.

**Choose Your Data**

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:


[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

timeseries-sample.csv

**Choose a Graph Type**

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.

Time Series  
 Scatter Plot



Date	US Bond Aggregate	MBS	Agency CMBS	Non-Agency CMBS	ABS	IG Corp	HY Corp
2014-12-31	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-01	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-02	0.48	0.28	0.45	1.19	0.58	1.31	4.88
2015-01-05	0.48	0.28	0.45	1.20	0.58	1.33	5.01
2015-01-06	0.49	0.28	0.45	1.20	0.58	1.34	5.16
2015-01-07	0.50	0.32	0.46	1.19	0.58	1.34	5.11
2015-01-08	0.49	0.30	0.45	1.19	0.59	1.33	4.98
2015-01-09	0.50	0.33	0.45	1.19	0.59	1.33	5.01
2015-01-12	0.51	0.36	0.46	1.20	0.59	1.34	5.07
2015-01-13	0.51	0.36	0.45	1.19	0.60	1.35	5.01
2015-01-14	0.52	0.36	0.45	1.21	0.60	1.38	5.12
2015-01-15	0.53	0.38	0.47	1.22	0.62	1.38	5.17
2015-01-16	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-19	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-20	0.55	0.44	0.47	1.22	0.62	1.38	5.13
2015-01-21	0.54	0.43	0.47	1.22	0.62	1.38	5.09
2015-01-22	0.53	0.38	0.47	1.22	0.61	1.36	5.01
2015-01-23	0.50	0.30	0.47	1.22	0.61	1.36	5.04
2015-01-26	0.51	0.33	0.47	1.23	0.61	1.35	5.00
2015-01-27	0.50	0.32	0.47	1.23	0.61	1.35	5.02
2015-01-28	0.51	0.35	0.47	1.23	0.62	1.35	5.04
2015-01-29	0.51	0.33	0.47	1.24	0.62	1.36	5.02

# Prototype Walk-Through – State 2: File Loaded

## Display Area

The Graph section is unchanged in State 2, but the data from the previously selected file now appears as a scrollable table beneath it.

**Choose Your Data**

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

timeseries-sample.csv

**Choose a Graph Type**

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.

Time Series  
 Scatter Plot



Date	US Bond Aggregate	MBS	Agency CMBS	Non-Agency CMBS	ABS	IG Corp	HY Corp
2014-12-31	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-01	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-02	0.48	0.28	0.45	1.19	0.58	1.31	4.88
2015-01-05	0.48	0.28	0.45	1.20	0.58	1.33	5.01
2015-01-06	0.49	0.28	0.45	1.20	0.58	1.34	5.16
2015-01-07	0.50	0.32	0.46	1.19	0.58	1.34	5.11
2015-01-08	0.49	0.30	0.45	1.19	0.59	1.33	4.98
2015-01-09	0.50	0.33	0.45	1.19	0.59	1.33	5.01
2015-01-12	0.51	0.36	0.46	1.20	0.59	1.34	5.07
2015-01-13	0.51	0.36	0.45	1.19	0.60	1.35	5.01
2015-01-14	0.52	0.36	0.45	1.21	0.60	1.38	5.12
2015-01-15	0.53	0.38	0.47	1.22	0.62	1.38	5.17
2015-01-16	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-19	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-20	0.55	0.44	0.47	1.22	0.62	1.38	5.13
2015-01-21	0.54	0.43	0.47	1.22	0.62	1.38	5.09
2015-01-22	0.53	0.38	0.47	1.22	0.61	1.36	5.01
2015-01-23	0.50	0.30	0.47	1.22	0.61	1.36	5.04
2015-01-26	0.51	0.33	0.47	1.23	0.61	1.35	5.00
2015-01-27	0.50	0.32	0.47	1.23	0.61	1.35	5.02
2015-01-28	0.51	0.35	0.47	1.23	0.62	1.35	5.04
2015-01-29	0.51	0.33	0.47	1.24	0.62	1.36	5.02

# Prototype Walk-Through – State 3: Interactive Graph

Upon selection of a graph type, a third panel appears. As with the previous two panels, the first element is a set of instructions. In this case, however, the instructions are more crucial to the graphing function as they explain what form the data must take in order to be processed correctly.

Beneath the instructions are HTML input elements, the type of which depends on the user's graph selection.

**Choose Your Data**

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

timeseries-sample.csv

**Choose a Graph Type**

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.


Time Series  
 Scatter Plot

**Time Series Graph**

A time series graph shows the value of one or more data series as a line plotted over time (represented by the X-Axis). This graph generator requires data series to be in columns (called wide form) with the date column being the leftmost. In order for the date information to be processed correctly, it must be in a format that is readable by JavaScript such as: ISO Date (2022-04-29), Short Date (04/29/2022) or Long Date (Apr 25 2022 or 25 Apr 2022).

Choose which data series you wish to plot by clicking the checkboxes below.

US Bond Aggregate  
 MBS  
 Agency CMBS  
 Non-Agency CMBS  
 ABS  
 IG Corp  
 HY Corp



Date	US Bond Aggregate	MBS	Agency CMBS	Non-Agency CMBS	ABS	IG Corp	HY Corp
2014-12-31	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-01	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-02	0.48	0.28	0.45	1.19	0.58	1.31	4.88
2015-01-05	0.48	0.28	0.45	1.20	0.58	1.33	5.01
2015-01-06	0.49	0.28	0.45	1.20	0.58	1.34	5.16
2015-01-07	0.50	0.32	0.46	1.19	0.58	1.34	5.11
2015-01-08	0.49	0.30	0.45	1.19	0.59	1.33	4.98
2015-01-09	0.50	0.33	0.45	1.19	0.59	1.33	5.01
2015-01-12	0.51	0.36	0.46	1.20	0.59	1.34	5.07
2015-01-13	0.51	0.36	0.45	1.19	0.60	1.35	5.01
2015-01-14	0.52	0.36	0.45	1.21	0.60	1.38	5.12
2015-01-15	0.53	0.38	0.47	1.22	0.62	1.38	5.17
2015-01-16	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-19	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-20	0.55	0.44	0.47	1.22	0.62	1.38	5.13
2015-01-21	0.54	0.43	0.47	1.22	0.62	1.38	5.09
2015-01-22	0.53	0.38	0.47	1.22	0.61	1.36	5.01
2015-01-23	0.50	0.30	0.47	1.22	0.61	1.36	5.04
2015-01-26	0.51	0.33	0.47	1.23	0.61	1.35	5.00
2015-01-27	0.50	0.32	0.47	1.23	0.61	1.35	5.02
2015-01-28	0.51	0.35	0.47	1.23	0.62	1.35	5.04
2015-01-29	0.51	0.33	0.47	1.24	0.62	1.36	5.02

# Prototype Walk-Through – State 3: Time Series

## Control Area

As mentioned above, the instructions in the Time Series panel lay out the specific requirements for this type of graph, that is, a JavaScript readable date column in the leftmost position and data series laid out in columns (wide form).

At this point, the user may examine the data table in the Display area to determine whether the chosen data source conforms to the requirements. If it does not, the user has the option to change the selection in the Graph Type Control, and continue with the current data source, or choose a new data file in the File Selection Control and essentially reset the process.

Below the instructions is a checklist with an entry for each column appearing to the right of the date in the Table. Selecting any of these entries will plot its column's data in the Graph section of the Display area.

### Choose Your Data

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

timeseries-sample.csv

### Choose a Graph Type

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.


Time Series  
 Scatter Plot

### Time Series Graph

A time series graph shows the value of one or more data series as a line plotted over time (represented by the X-Axis). This graph generator requires data series to be in columns (called wide form) with the date column being the leftmost. In order for the date information to be processed correctly, it must be in a format that is readable by JavaScript such as: ISO Date (2022-04-29), Short Date (04/29/2022) or Long Date (Apr 25 2022 or 25 Apr 2022).

Choose which data series you wish to plot by clicking the checkboxes below.

US Bond Aggregate  
 MBS  
 Agency CMBS  
 Non-Agency CMBS  
 ABS  
 IG Corp  
 HY Corp



Date	US Bond Aggregate	MBS	Agency CMBS	Non-Agency CMBS	ABS	IG Corp	HY Corp
2014-12-31	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-01	0.48	0.27	0.45	1.18	0.58	1.31	4.83
2015-01-02	0.48	0.28	0.45	1.19	0.58	1.31	4.88
2015-01-05	0.48	0.28	0.45	1.20	0.58	1.33	5.01
2015-01-06	0.49	0.28	0.45	1.20	0.58	1.34	5.16
2015-01-07	0.50	0.32	0.46	1.19	0.58	1.34	5.11
2015-01-08	0.49	0.30	0.45	1.19	0.59	1.33	4.98
2015-01-09	0.50	0.33	0.45	1.19	0.59	1.33	5.01
2015-01-12	0.51	0.36	0.46	1.20	0.59	1.34	5.07
2015-01-13	0.51	0.36	0.45	1.19	0.60	1.35	5.01
2015-01-14	0.52	0.36	0.45	1.21	0.60	1.38	5.12
2015-01-15	0.53	0.38	0.47	1.22	0.62	1.38	5.17
2015-01-16	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-19	0.54	0.41	0.47	1.22	0.62	1.39	5.13
2015-01-20	0.55	0.44	0.47	1.22	0.62	1.38	5.13
2015-01-21	0.54	0.43	0.47	1.22	0.62	1.38	5.09
2015-01-22	0.53	0.38	0.47	1.22	0.61	1.36	5.01
2015-01-23	0.50	0.30	0.47	1.22	0.61	1.36	5.04
2015-01-26	0.51	0.33	0.47	1.23	0.61	1.35	5.00
2015-01-27	0.50	0.32	0.47	1.23	0.61	1.35	5.02
2015-01-28	0.51	0.35	0.47	1.23	0.62	1.35	5.04
2015-01-29	0.51	0.33	0.47	1.24	0.62	1.36	5.02

# Prototype Walk-Through – State 3: Time Series

## Display Area

Assuming that the data file is in the proper format, upon entering State 3, the X axis in the Graph section will show the date range of the data. As at this point no data series has been selected, the Y axis remains unmarked.

Upon selection of a data series, the Y axis will display the data range. The scale is automatically adjusted to the extent of the data series and will automatically re-adjust as data series are added to and deleted from the graph. Each data series has a unique color which can be seen in three places: the line plotted on the graph itself as well as the corresponding table header in the Table section and checkbox in the Control area, either of which may serve as a legend for the graph.

**Choose Your Data**

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

timeseries-sample.csv

**Choose a Graph Type**

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.


Time Series  
 Scatter Plot

**Time Series Graph**

A time series graph shows the value of one or more data series as a line plotted over time (represented by the X-Axis). This graph generator requires data series to be in columns (called wide form) with the date column being the leftmost. In order for the date information to be processed correctly, it must be in a format that is readable by JavaScript such as: ISO Date (2022-04-29), Short Date (04/29/2022) or Long Date (Apr 25 2022 or 25 Apr 2022).

Choose which data series you wish to plot by clicking the checkboxes below.

US Bond Aggregate  
 MBS  
 Agency CMBS  
 Non-Agency CMBS  
 ABS  
 IG Corp  
 HY Corp



# Prototype Walk-Through – State 3: Scatter Plot

## Control Area

Instructions for a Scatter Plot graph, like those for the Time Series above detail data format required for processing. Data series for this graph type must be in rows with variables in columns not including the leftmost, which is reserved for a series name. The Scatter Plot graph is a bit more forgiving than the Time Series as it will accept and plot any column containing numeric data (the data in the timeseries-sample.csv file for instance, will be drawn correctly in a Scatter Plot, though the relationship between the variables may well be meaningless.

In place of the checklist shown with the Time Series, the Scatter Plot Control contains two drop-down Select inputs, one for each axis and allowing only one selection each.

### Choose Your Data

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

Choose File scatterplot-sample.csv

### Choose a Graph Type

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.


Time Series  
 Scatter Plot

### Scatter Plot Graph

A scatter plot graph plots two variables one for each axis over a set of data to reveal the extent of any correlation between them. This graph generator requires data series to be in rows and variables in columns, the leftmost column being the series name.

X Values:

Y Values:



Country	Poverty Rate	Govt Spending	Democracy Rating	Life Satisfaction	Inequality (Gini Index)	GDP per capita
Australia	0.128	17.78	9.01	7.289	34.39943	47289.96461
Austria	0.091	27.731	8.54	6.95	30.53568	52857.05632
Canada	0.126	16.903	9.08	7.304	33.15761	47564.60911
Costa Rica	0.215	12.207	8.03	7.247	48.63369	18669.09668
Czechia	0.059	20.07	7.94	6.484	25.92322	34386.70491
Denmark	0.055	29.877	9.11	7.508	28.35288	52048.33549
Estonia	0.157	15.949	7.74	5.556	34.59156	30602.59549
Finland	0.068	30.121	9.03	7.385	26.77698	44976.77645
France	0.081	32.027	8.04	6.467	32.26218	43021.39464
Germany	0.095	24.773	8.64	6.984	30.87186	50770.61349
Greece	0.148	25.309	7.45	4.756	35.80951	28178.69021
Hungary	0.087	21.46	6.90	5.181	30.91766	26424.7204
Ireland	0.093	19.647	8.72	7.018	31.87645	58267.41227
Israel	0.186	15.429	7.63	7.401	39.75749	37474.84918
Italy	0.137	28.157	7.85	6.027	34.65733	39898.52646
Latvia	0.164	15.354	7.48	5.729	35.11523	25387.00765
Lithuania	0.157	15.629	7.54	6.126	37.68144	29855.83149
Mexico	0.167	7.566	6.68	6.68	48.72244	18887.56744
Netherlands	0.077	17.932	8.92	7.321	28.63142	52186.99739
Norway	0.081	22.909	9.93	7.444	26.75263	62390.1497
Poland	0.104	20.176	7.47	5.75	32.08015	26649.57728
Portugal	0.135	25.076	7.79	5.127	35.56217	30444.60021

# Prototype Walk-Through – State 3: Scatter Plot

## Display Area

When a data series is selected for either axis, that axis will display the range for that series. After both axes have been selected, the data will be plotted on the Graph.

Changing the data series for either axis will automatically re-plot the data and adjust its axis accordingly.

### Choose Your Data

Clicking on the Choose File button will open your local file system. Choose the CSV file you wish to graph and click Open. If you prefer, the following sample files may be downloaded:

[scatterplot-sample.csv](#)  
[timeseries-sample.csv](#)

scatterplot-sample.csv

### Choose a Graph Type

Now choose which type of graph you wish to create. Different graph types serve different purposes and require different layouts in their source files as we will see.


Time Series  
 Scatter Plot

### Scatter Plot Graph

A scatter plot graph plots two variables one for each axis over a set of data to reveal the extent of any correlation between them. This graph generator requires data series to be in rows and variables in columns, the leftmost column being the series name.

X Values:

Y Values:



# Domain Expert Evaluation and Feedback

---

For expert evaluation I enlisted Mary Beth Fisher, PhD, a senior financial analyst with Amherst Pierpont Securities in New York. Her evaluation of the prototype overall was positive for the most part, particularly concerning the simplicity of design and ease of use, according to her comments:

## **Ease of use**

Constructing graphs was effortless and “...so much easier than doing it myself in Excel.”

## **Simplicity of Design**

“I like that the tool is simple, I’ve tried to use the super fancy visualization tools and I usually give up because trying to remember how to use them and do plots is too much trouble.”

This comment calls to mind Jakob Nielsen’s 6<sup>th</sup> Usability Heuristic, “Recognition Rather than Recall”:

*The user should not have to remember information from one part of the interface to another. Information required to use the design (e.g., field labels or menu items) should be visible or easily retrievable when needed.*

Certain other aspects of the design, however, were found to be either unintuitive or lacked sufficient feedback when performing tasks:

## **Instructions on File Loading are Unclear**

The initial file loading control (State 1) was found to be confusing in that it is not made clear in the instructions that the tool expects the user to upload their own data and that the sample links provided were for download and would not open directly within the app.

Two possible approaches to this problem would be:

Clearer instructions at the beginning of State 1 and more separation between the downloadable samples and the File Selection Control, i.e., removing the sample links to their own panel, or

Re-coding the links to perform as she said she expected them to, i.e., to load the sample files into to tool rather than download to the user’s file system.

## Domain Expert Evaluation and Feedback (cont'd)

---

### **Tool continues to operate when data file and graph type are incompatible**

Mary Beth noted that at one point she “...accidentally tried to plot the scatter data as a timeseries. It looked like it was going to do it. Then I realized I had to choose the timeseries file.” This comment highlights two issues in the design:

**Shifting responsibility to the user that should belong to the program** – It should not be up to the user to ensure the data format of their source file is compatible with their selected graph type. The tool needs to perform its own compatibility test.

**Continuing to operate when incompatible data is used** – The tool should halt when it detects incompatibility between data and chart type. I reproduced this error (see below). Rather than continuing in a non-sensical state as the screenshot shows, the tool should give the user feedback on the error and how to correct it (see [Nielsen’s Usability Heuristics #9](#)). Jakob Nielsen, [10 Usability Heuristics for User Interface Design](#)

# Wish List for a Full Version of this Web Application

---

- **More graph types**

The most obvious improvement would be to give users a wider selection of graph types to choose from

- **More comprehensive instructions**

If the app is to serve as a teaching tool, it would need to have more than the brief explanations of various graph types and data formats of the prototype. My models for an interactive teaching tool would be Josh Comeau's excellent "Let's Learn about Waveforms" and Marijn Haverbeke's interactive online textbook, Eloquent JavaScript.

- **Automated Compatibility Detection**

Suggested by my domain expert, the app should be able to detect whether data sources are compatible with chart types and throw an error if not.

- **Ability to process "long-form" data files**

Being able to read this form of data, as programs like Tableau do, would enable more complex interactive visualizations such as Gapminder-style motion charts.

- **Additional data series information**

The graph could show additional, not necessarily quantitative information as tooltips or other similar sidebar views, on rollover or other interaction.

**Thank You**